



CHEMICAL ASSOCIATES
1270 South Cleveland-Massillon Road
Building B
Copley, OH 44321-1683

MATERIAL SAFETY DATA SHEET

EMERGENCY PHONE: 800-347-2891
MSDS REFERENCE: CA0405

CHEMTREC: 800-424-9300

SECTION I - IDENTIFICATION

PRODUCT: CA0405 TALL OIL FATTY ACID < 4%
SYNONYMS: TOFA
CHEMICAL: ALIPHATIC CARBOXYLIC ACIDS
CAS NO: 61790-12-3
SARA HAZARD: NONE NOTED (SECTION 311/312)
TITLE III SECTION 313 NOT LISTED

SECTION II - INGREDIENTS AND HAZARD CLASSIFICATION

COMPOSITION	TYPICAL %	PEL/TLV	HAZARD
TALL OIL FATTY ACIDS (61790-12-3)	100	NONE / NONE	NONE NOTED

SECTION III - HEALTH INFORMATION

INHALATION: NO SPECIAL VAPOROUS HAZARDS NOTED UNDER NORMAL CONDITIONS OF USE.

INGESTION: NO TOXIC DATA REPORTED. MAY CAUSE MILD GASTRO-INTESTINAL DISCOMFORT IF CONSUMED IN LARGE QUANTITIES..

EYE CONTACT: MAY CAUSE MILD, TEMPORARY IRRITATION

SKIN CONTACT: MAY CAUSE MILD TEMPORARY IRRITATION IN SENSITIVE INDIVIDUALS, OR WITH REPEATED AND PROLONGED EXPOSURE

SECTION IV - OCCUPATIONAL EXPOSURE LIMITS

PEL: NO OSHA PEL
TLV: NO ACGIH TLV

SECTION V - EMERGENCY FIRST AID PROCEDURE

INGESTION: IF DISCOMFORT IS EXPERIENCED, DILUTE BY DRINKING A LARGE QUANTITY OF WATER OR MILK. DO NOT INDUCE VOMITING UNLESS

ADVISED TO DO SO BY A PHYSICIAN OR POISON CONTROL CENTER.

- INHALATION:** IMMEDIATELY REMOVE VICTIM TO FRESH AIR. IF VICTIM HAS STOPPED BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH TO MOUTH AND SEEK MEDICAL ASSISTANCE. GET MEDICAL ATTENTION IF COUGH OR OTHER SYMPTOMS DEVELOP.
- EYE CONTACT:** IMMEDIATELY FLUSH EYES WITH PLENTY OF COOL WATER FOR AT LEAST 15 MINUTES. DO NOT LET VICTIM RUB EYES. GET MEDICAL ATTENTION IMMEDIATELY.
- SKIN CONTACT:** REMOVE CONTAMINATED CLOTHING AND WASH AFFECTED AREA WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF A RASH DEVELOPS OR IRRITATION PERSISTS. WASH CLOTHING BEFORE REUSE.

SECTION VI - PHYSICAL DATA

BOILING POINT:	> 600 ° F
MELTING POINT:	CONGEALS BELOW 10 ° C, (50 ° F)
VAPOR PRESSURE:	<1.3 mbar @ 20°C
SPECIFIC GRAVITY:	0.91
SOLUBILITY IN WATER:	SLIGHT
APPEARANCE AND COLOR:	YELLOW-AMBER, OILY LIQUID, FATTY ODOR

SECTION VII - FIRE AND EXPLOSION HAZARDS

FLASH POINT AND METHOD USED:	375 ° F, C.O.C.
FLAMMABLE LIMITS IN AIR, % BY VOL. LOWER:	NOT ESTABLISHED
FLAMMABLE LIMITS IN AIR, % BY VOL. UPPER:	NOT ESTABLISHED
NFPA RATING: HEALTH: (1) FIRE: (1)	REACTIVITY: (0)
HMIS RATING: HEALTH: (1) FIRE: (1)	REACTIVITY: (0)

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:

INDIVIDUALS SHOULD PERFORM ONLY THOSE FIRE PROCEDURES FOR WHICH THEY HAVE BEEN TRAINED. WATER OR FOAM MAY CAUSE FROTHING WHEN APPLIED TO FLAMMABLE LIQUIDS HAVING FLASH POINTS ABOVE 212 DEG F (100 DEG C). THE REMARK IS INCLUDED ONLY AS A PRECAUTION AND DOES NOT MEAN THAT WATER OR FOAM SHOULD NOT OR COULD NOT BE USED IN FIGHTING FIRES IN SUCH LIQUIDS. THE FROTHING MAY BE QUITE VIOLENT AND COULD ENDANGER THE LIFE OF THE FIREFIGHTER PARTICULARLY WHEN SOLID STREAMS ARE DIRECTED INTO THE HOT BURNING LIQUID. ON THE OTHER HAND, WATER SPRAY CAREFULLY APPLIED HAS FREQUENTLY BEEN USED WITH SUCCESS IN EXTINGUISHING SUCH FIRES BY CAUSING THE FROTHING TO OCCUR ONLY ON THE SURFACE AND THIS FOAMING ACTION BLANKETS THE EXTINGUISHES THE FIRE. (NFPA 325M-1984)

UNUSUAL FIRE AND EXPLOSION HAZARDS:

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS IN THE POSITIVE-PRESSURE MODE WITH A FULL FACEPIECE WHEN THERE IS A POSSIBILITY OF EXPOSURE TO SMOKE, FUMES OR HAZARDOUS DECOMPOSITION PRODUCTS. MATERIAL EMITS ACRID SMOKE AND FUMES UNDER FIRE CONDITIONS.

SECTION VIII - REACTIVITY

STABILITY:	GENERALLY STABLE
HAZARDOUS POLYMERIZATION:	NONE LIKELY
CONDITIONS AND MATERIALS TO AVOID:	NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS:	CARBON DIOXIDE AND CARBON MONOXIDE.

SECTION IX - EMPLOYEE PROTECTION

CONTROL MEASURES:

AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. WASH THOROUGHLY AFTER HANDLING, AND BEFORE EATING, DRINKING OR SMOKING. REMOVE CONTAMINATED CLOTHING PROMPTLY AND CLEAN THOROUGHLY BEFORE REUSE.

RESPIRATORY PROTECTION:

RECOMMENDED EXPOSURE LIMITS (I.E., OSHA - PEL AND AOGIH - TLV) HAVE NOT BEEN ESTABLISHED FOR THIS MATERIAL. A QUALIFIED HEALTH SPECIALIST SHOULD EVALUATE WHETHER THERE IS A NEED FOR RESPIRATORY PROTECTION UNDER YOUR CONDITIONS OF HANDLING OF THIS MATERIAL.

PROTECTIVE CLOTHING:

WEAR GLOVES AND PROTECTIVE CLOTHING WHICH ARE IMPERVIOUS TO THE PRODUCT FOR THE DURATION OF ANTICIPATED EXPOSURE IF THERE IS POTENTIAL FOR PROLONGED OR REPEATED SKIN CONTACT.

EYE PROTECTION:

WEAR SAFETY GLASSES MEETING THE SPECIFICATIONS OF ANSI STANDARD Z87.1 WHERE NO CONTACT WITH THE EYE IS ANTICIPATED. CHEMICAL SAFETY GOGGLES MEETING THE SPECIFICATIONS OF ANSI STANDARD Z87.1 SHOULD BE WORN WHENEVER THERE IS THE POSSIBILITY OF SPLASHING OR OTHER CONTACT WITH THE EYES.

SECTION X - ENVIRONMENTAL PROTECTION

ENVIRONMENTAL PRECAUTIONS:

AVOID UNCONTROLLED RELEASES OF THIS MATERIAL. WHERE SPILLS ARE POSSIBLE, A COMPREHENSIVE SPILL RESPONSE PLAN SHOULD BE DEVELOPED AND IMPLEMENTED..

SPILL OR LEAK PRECAUTIONS:

WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING AS DESCRIBED IN SECTION IX. CONTAIN SPILLED MATERIAL. TRANSFER TO SECURE CONTAINERS. WHERE NECESSARY, COLLECT USING ABSORBENT MEDIA. IN THE EVENT OF AN UNCONTROLLED RELEASE OF THIS MATERIAL, THE USER SHOULD DETERMINE IF THE RELEASE IS REPORTABLE UNDER APPLICABLE LAWS AND REGULATIONS. .

WASTE DISPOSAL:

ALL RECOVERED MATERIAL SHOULD BE PACKAGED, LABELED, TRANSPORTED, AND DISPOSED OR RECLAIMED IN CONFORMANCE WITH APPLICABLE LAWS AND

REGULATIONS AND IN CONFORMANCE WITH GOOD ENGINEERING PRACTICES. AVOID LANDFILLING OF LIQUIDS. RECLAIM WHERE POSSIBLE. SPONTANEOUS COMBUSTION MAY OCCUR IN RAGS OR OTHER CLEAN-UP MATERIALS NOT PROPERLY DISPOSED OF.

SECTION XI - REGULATORY CONTROLS

DEPARTMENT OF TRANSPORTATION:

DOT CLASSIFICATION: NOT REGULATED
DOT PROPER SHIPPING NAME: N/A
OTHER DOT INFORMATION: N/A

OTHER REGULATORY REQUIREMENTS:

LISTED IN TSCA INVENTORY
LISTED IN CANADIAN DSL

CERCLA HAZARDOUS MATERIALS:

NONE NOTED

SECTION XII - PRECAUTIONS: HANDLING, STORAGE AND USAGE

THERE ARE NO UNUSUAL HAZARDS ASSOCIATED WITH HANDLING OF THIS PRODUCT.

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which Chemical Associates bears responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

CHEMICAL ASSOCIATES
1270 SOUTH CLEVELAND-MASSILLON ROAD
COPLEY, OHIO 44321-1683

DATE: 03/10/09
SUPERSEDES: NEW