



**CHEMICAL ASSOCIATES**  
1270 South Cleveland-Massillon Road  
Building B  
Copley, OH 44321-1683

## MATERIAL SAFETY DATA SHEET

**EMERGENCY PHONE: 800-347-2891**  
**MSDS REFERENCE: CA1723**

**CHEMTREC: 800-424-9300**

### SECTION I - IDENTIFICATION

**PRODUCT:** CA1723 HIGH IV TALL OIL FATTY ACID  
**SYNONYMS:** TALL OIL FATTY ACID MIXTURE  
**CHEMICAL:** UNSATURATED ALIPHATIC CARBOXYLIC ACIDS  
**CAS NO:** 61790-12-3  
**SARA HAZARD:** NONE NOTED (SECTION 311/312);  
TITLE III SECTION 313 NOT LISTED

### SECTION II - INGREDIENTS AND HAZARD CLASSIFICATION

| COMPOSITION             | TYPICAL % | PEL/TLV     | HAZARD     |
|-------------------------|-----------|-------------|------------|
| LINOLEIC ACID (60-33-3) | 78        | NONE / NONE | NONE NOTED |
| OLEIC ACID (112-80-1)   | 22        | NONE / NONE | NONE NOTED |
| PALMITIC ACID (57-10-3) | <1        | NONE / NONE | NONE NOTED |

### SECTION III - HEALTH INFORMATION

**INHALATION:** UNKNOWN

**INGESTION:** NO MORTALITIES OCCURRED AT ANY DOSAGE LEVEL TESTED FOR LINOLEIC ACID. LD50: > 3.2GM/KG (MALE ALBINO RATS)

**EYE CONTACT:** SIMILAR MATERIAL PRODUCED MILD CONJUNCTIVAL ERYTHEMA IN FOUR OF THE SIX RABBITS TESTED. NO OTHER IRRITATIVE SIGNS WERE OBSERVED AND ALL EYES WERE CLEAR AT THE 72-HOUR READING.

**SKIN CONTACT:** CAUSED SLIGHT IRRITATION ON THE SKIN OF RABBITS AND GUINEA PIGS.

### SECTION IV - OCCUPATIONAL EXPOSURE LIMITS

**PEL:** NO OSHA PEL  
**TLV:** NO ACGIH TLV

## SECTION V - EMERGENCY FIRST AID PROCEDURE

- INGESTION:** DO NOT INDUCE VOMITING. CALL A PHYSICIAN OR POISON CONTROL CENTER PROMPTLY.
- INHALATION:** NOT A ROUTE OF ENTRY EXCEPT IN THE FORM OF A MIST OR HEATED VAPORS. IMMEDIATELY REMOVE VICTIM TO FRESH AIR. IF VICTIM HAS STOPPED BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH TO MOUTH. GET MEDICAL ATTENTION IMMEDIATELY.
- EYE CONTACT:** IMMEDIATELY FLUSH EYES WITH PLENTY OF COOL WATER FOR AT LEAST 15 MINUTES. DO NOT LET VICTIM RUB EYES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
- SKIN CONTACT:** WASH AFFECTED AREA. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

## SECTION VI - PHYSICAL DATA

- BOILING POINT:** >660 F AT 760 MM Hg PRESSURE  
**MELTING POINT:** -15 DEG C (APPROX.)  
**VAPOR PRESSURE:** <1 MM Hg  
**SPECIFIC GRAVITY:** 0.90 AT 25/15 DEG C  
**SOLUBILITY IN WATER:** INSOLUBLE  
**APPEARANCE AND COLOR:** YELLOW TO AMBER LIQUID WITH A FATTY ACID ODOR

## SECTION VII - FIRE AND EXPLOSION HAZARDS

- FLASH POINT AND METHOD USED:** >300 F (150 DEG C) TAG CLOSED CUP
- FLAMMABLE LIMITS IN AIR, % BY VOL. LOWER:** NOT ESTABLISHED  
**FLAMMABLE LIMITS IN AIR, % BY VOL. UPPER:** NOT ESTABLISHED
- NFPA RATING: HEALTH: (0) FIRE: (1) REACTIVITY: (0) (For Oleic Acid)**  
**HMIS RATING: HEALTH: (1) FIRE: (1) REACTIVITY: (0)**

### SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS:

INDIVIDUALS SHOULD PERFORM ONLY THOSE FIRE PROCEDURES FOR WHICH THEY HAVE BEEN TRAINED. WATER OR FOAM MAY CAUSE FROTHING WHEN APPLIED TO FLAMMABLE LIQUIDS HAVING FLASH POINTS ABOVE 212 DEG F (100 DEG C). THE REMARK IS INCLUDED ONLY AS A PRECAUTION AND DOES NOT MEAN THAT WATER OR FOAM SHOULD NOT OR COULD NOT BE USED IN FIGHTING FIRES IN SUCH LIQUIDS. THE FROTHING MAY BE QUITE VIOLENT AND COULD ENDANGER THE LIFE OF THE FIREFIGHTER PARTICULARLY WHEN SOLID STREAMS ARE DIRECTED INTO THE HOT BURNING LIQUID. ON THE OTHER HAND, WATER SPRAY CAREFULLY APPLIED HAS FREQUENTLY BEEN USED WITH SUCCESS IN EXTINGUISHING SUCH FIRES BY CAUSING THE FROTHING TO OCCUR ONLY ON THE SURFACE AND THIS FOAMING ACTION BLANKETS THE EXTINGUISHES THE FIRE. (NFPA 325M-1984)

### UNUSUAL FIRE AND EXPLOSION HAZARDS:

FIREFIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS IN THE POSITIVE-PRESSURE MODE WITH A FULL FACEPIECE WHEN THERE IS A POSSIBILITY OF EXPOSURE TO SMOKE, FUMES OR HAZARDOUS DECOMPOSITION

PRODUCTS.

### SECTION VIII - REACTIVITY

|   |   |
|---|---|
| <b>STABILITY:</b>                         | GENERALLY STABLE  |
| <b>HAZARDOUS POLYMERIZATION:</b>          | NONE LIKELY   |
| <b>CONDITIONS AND MATERIALS TO AVOID:</b> | AVOID CONTACT WITH STRONG OXIDIZING AGENTS AND STRONG ALKALIES. |
| <b>HAZARDOUS DECOMPOSITION PRODUCTS:</b>  | DECOMPOSITION MAY PRODUCE CARBON MONOXIDE AND CARBON DIOXIDE.   |

### SECTION IX - EMPLOYEE PROTECTION

**CONTROL MEASURES:**  
HANDLE IN THE PRESENCE OF ADEQUATE VENTILATION.

**RESPIRATORY PROTECTION:**  
RECOMMENDED EXPOSURE LIMITS (I.E., OSHA-PEL AND ACGIH-TLV) HAVE NOT BEEN ESTABLISHED FOR THIS MATERIAL. WHETHER THERE IS A NEED FOR RESPIRATORY PROTECTION UNDER YOUR CONDITIONS OF HANDLING OF THIS MATERIAL SHOULD BE EVALUATED BY A QUALIFIED HEALTH SPECIALIST.

**PROTECTIVE CLOTHING:**  
WEAR GLOVES AND PROTECTIVE CLOTHING WHICH ARE IMPERVIOUS TO THE PRODUCT FOR THE DURATION OF ANTICIPATED EXPOSURE IF THERE IS POTENTIAL FOR PROLONGED OR REPEATED SKIN CONTACT.

**EYE PROTECTION:**  
WEAR SAFETY GLASSES MEETING THE SPECIFICATIONS OF ANSI STANDARD Z87.1 WHERE NO CONTACT WITH THE EYE IS ANTICIPATED. CHEMICAL SAFETY GOGGLES MEETING THE SPECIFICATIONS OF ANSI STANDARD Z87.1 SHOULD BE WORN WHENEVER THERE IS THE POSSIBILITY OF SPLASHING OR OTHER CONTACT WITH THE EYES.

### SECTION X - ENVIRONMENTAL PROTECTION

**ENVIRONMENTAL PRECAUTIONS:**  
AVOID UNCONTROLLED RELEASES OF THIS MATERIAL. WHERE SPILLS ARE POSSIBLE, A COMPREHENSIVE SPILL RESPONSE PLAN SHOULD BE DEVELOPED AND IMPLEMENTED.

**SPILL OR LEAK PRECAUTIONS:**  
WEAR APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING AS DESCRIBED IN SECTION IX. CONTAIN SPILLED MATERIAL. TRANSFER TO SECURE CONTAINER. WHERE NECESSARY COLLECT USING ABSORBENT MEDIA. IN THE EVENT OF AN UNCONTROLLED RELEASE OF THIS MATERIAL, THE USER SHOULD DETERMINE IF THE RELEASE IS REPORTABLE UNDER APPLICABLE LAWS AND REGULATIONS.

**WASTE DISPOSAL:**

ALL RECOVERED MATERIAL SHOULD BE PACKAGED, LABELED, TRANSPORTED, AND DISPOSED OR RECLAIMED IN CONFORMANCE WITH APPLICABLE LAWS AND REGULATIONS AND IN CONFORMANCE WITH GOOD ENGINEERING PRACTICES. AVOID LANDFILLING OF LIQUIDS. RECLAIM WHERE POSSIBLE.

**SECTION XI - REGULATORY CONTROLS**

**DEPARTMENT OF TRANSPORTATION:**

**DOT CLASSIFICATION:** NOT REGULATED  
**DOT PROPER SHIPPING NAME:**  
**OTHER DOT INFORMATION:**

**OTHER REGULATORY REQUIREMENTS:**

LISTED IN TSCA INVENTORY  
LISTED IN CANADIAN DSL  
LISTED IN EUROPEAN INVENTORY  
LISTED IN AUSTRALIAN INVENTORY  
LISTED IN JAPAN INVENTORY  
LISTED IN KOREAN INVENTORY  
LISTED IN PHILIPPINE INVENTORY  
LISTED IN CHINA INVENTORY

**CERCLA HAZARDOUS MATERIALS:**

NONE NOTED

**SECTION XII - PRECAUTIONS: HANDLING, STORAGE AND USAGE**

NO SPECIAL PRECAUTION NECESSARY.  
KEEP IN CLOSED OR COVERED CONTAINER AND DO NOT STORE NEAR HEAT OR OPEN FLAMES TO PRESERVE THE COLOR AND ODOR CHARACTERISTICS OF THIS PRODUCT.

**The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which Chemical Associates bears responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.**

**CHEMICAL ASSOCIATES  
1270B SOUTH CLEVELAND-MASSILLON ROAD  
COPLEY, OHIO 44321-1683**

**DATE: 01/21/11  
SUPERSEDES: 02/09/10**