

CA0375 Tall Oil Pitch Safety Data Sheet



SECTION 1: Identification of the substance or mixture and the company or undertaking

1.1 Product identifier

Product type : Mixture
Trade name : CA0375 Tall Oil Pitch
Label name : CA0375 Tall Oil Pitch
Chemical name : Sterol esters of C₁₈ and C₂₀ organic acids
CAS number : 8016-81-7
EC number : 232-414-4

1.2 Recommended and restricted uses of the substance or mixture

Recommended uses : Coatings and adhesives
Restricted uses : None known.

1.3 Company identification

Company name : Chemical Associates – A Division of Univar USA, Inc.
Company address : 1270 South Cleveland Massillon Road
: Copley, OH 44321-1683
Company telephone : 330-666-5200

1.4 Emergency telephone number

Company emergency telephone : 800-347-2891
CHEMTREC telephone : 800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (29CFR1910.1200 Appendix A) : Not hazardous.
GHS physical hazard : None.
GHS health hazard : None.
GHS environmental hazard : None.

2.2 Label warnings of the substance or mixture

Signal word : None.
Hazard statements : None.
Precautionary statements : P264 Wash hands thoroughly after handling.

CA0375 Tall Oil Pitch

Safety Data Sheet



Hazard symbol (pictogram) : None.

2.3 Hazards not otherwise classified

Other hazards : No additional information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common name	Percent	CAS number	Health hazard
Not applicable.				

3.2 Mixtures

Chemical name	Common name	Typical %	CAS number	Health hazard
Sterol esters of C ₁₈ and C ₂₀ organic acids	Tall Oil Pitch	89	8016-81-9	None.
Rosin Acids	Rosin Acids	11	8050-09-7	None

SECTION 4: First-aid measures

4.1 Description of first-aid measures

Exposure route

Inhalation

First-aid measure

: Remove the victim into fresh air. Observe victim's breathing. If breathing is labored seek immediate medical attention.

Skin contact

: Wash immediately with soap and water. If irritation develops, seek medical attention. Launder contaminated clothing. If hot product contacts skin, cool under running water and get medical attention.

Eye contact

: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses if present and easy to do. Do not use neutralizing agents. If irritation persists, seek immediate medical (ophthalmologist) attention.

Ingestion

: Rinse mouth with plenty of water. For ingestion of large quantities seek immediate medical attention. Do not induce vomiting. Contact poison control center.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms after inhalation

: May experience dizziness.

Symptoms after skin contact

: Mild irritation of the skin may occur.

Symptoms after eye contact

: Irritation of the eye tissue.

Symptoms after ingestion

: Mild tingling of the tongue and mouth.

CA0375 Tall Oil Pitch

Safety Data Sheet



4.3 Indication of any immediate medical attention and special treatment needed

Treatment after inhalation : If breathing is labored seek immediate medical attention.
Treatment after skin contact : If skin irritation persists seek immediate medical attention.
Treatment after eye contact : If eye irritation persists seek immediate ophthalmologist attention.
Treatment after ingestion : If ingestion of a large quantity seek immediate poison control center.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media : Carbon dioxide, foam, dry chemical and water spray.
Unsuitable media : Do not use water jet or an extinguisher, as this will spread the fire.

5.2 Specific hazards arising from the substance or mixture

Direct fire hazard : Not combustible.
Indirect fire hazard : Exposure to temperature above the flash point (>94°C).
Explosive hazard : Exposure to temperature above the flash point (>94°C).
Reactivity : Reactivity with strong oxidizers or strong bases.
Combustion products : Carbon dioxide, carbon monoxide and oxides of sulfur.

5.3 Special protective equipment and precautions for fire-fighters

Protective equipment : Full protective clothing.
: Self-contained breathing apparatus.
Precautions : No additional information available.
Emergency response guide : Not a hazardous material.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Mixture is not hazardous. If mixture is a mist, stay upwind.
Protective equipment : Wear rubber gloves, rubber boots, face shield and chemical hazard suit. If material is a mist wear dust mask or self-contained breathing apparatus.
Emergency procedures : Mark the spill area with hazard tape or cones. Contain the spill area with suitable absorbent. Keep away from streams, rivers and lakes. If mixture is a mist, alert immediate neighborhood to close windows and doors. Contain and dissipate mist via spraying with water.

6.2 Environmental precautions

Precautions : Keep out of streams, rivers and lakes. Mixture is regulated as oil under the Clean Water Act. Abide by all laws per this regulation.

CA0375 Tall Oil Pitch

Safety Data Sheet



6.3 Methods and materials for containment and cleanup

Methods : Use chemical absorbent pigs or manually spread chemical absorbent onto spill area. After the mixture is absorbed, dispose in approved waste facility.

Materials : Approved materials include dry earth, sand, clay, chemical absorbent, vermiculite and carbon.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling temperature : About 10°C above the melt point (37°C).

Handling equipment : Rubber hoses or stainless steel (grade 304) lines. Stainless steel (grade 304) for pumps.

7.2 Conditions for safe storage, including any incompatibilities

Storage area : Store in dry area. Store at room temperature. Store in dyke area to contain any spills. Protect from heat.

Packaging materials : Polyethylene, stainless steel (grade 304), rubber lined or epoxy lined tanks or drums. Graphite or rubber gaskets.

Incompatibilities : Strong oxidizers and strong bases.

SECTION 8: Exposure controls/personal protection

8.1 Exposure controls

OSHA PEL : TWA 5 mg/m³ respirable.

ACGIH TLV : TWA 5 mg/m³ respirable.

NIOSH REL : No data available

8.2 Appropriate engineering controls

Engineering controls : If mist exists, install ventilation equipped with carbon canisters. Ventilation should be 10 air exchanges per hour. Local exhaust ventilation is recommended.

8.3 Personal protection equipment

Personal protective equipment : Rubber gloves and safety glasses. Dust mask if mist exists.

Personal protective equipment pictograms :

CA0375 Tall Oil Pitch

Safety Data Sheet



SECTION 9: Physical and chemical properties

9.1 Physical and chemical properties

Appearance	: Viscous black liquid
Odor	: Mild fatty acid odor.
Odor threshold	: No data available.
pH	: No data available. Mixture is not readily soluble in water.
Melting point	: 37°C.
Boiling point	: >350°C (650°F)
Flash point	: >94°C, Cleveland Closed Cup.
Evaporation rate	: Approximately 0 (n-butyl acetate = 1)
Flammability	: Not flammable.
Lower flammability limit	: No data available.
Upper flammability limit	: No data available.
Vapor pressure	: <0.001 mm Hg at 20°C.
Vapor density	: No data available.
Relative density	: 1.2 at 25/25 (water).
Solubility	: Complete in ethanol and acetone. : In water <0.1% at 25°C.
Partition coefficient for n-octanol/water	: No data available
Auto-ignition temperature	: 257 C.
Decomposition temperature	: No data available.
Viscosity	: 200 mPa*s (cP) at 100°C.

9.2 Other information

Other information : No additional information available.

SECTION 10: Stability and reactivity

Reactivity	: May react violently with oxidizers.
Chemical stability	: Stable under storage conditions.
Possibility of hazardous reactions	: Hazardous polymerization does not occur.
Conditions to avoid	: This product mixture may self-combust after sorption into porous materials such as cloth rags, paper, insulation or organic clay. : Pressure, shock, static discharge or vibration does NOT result in a hazardous condition.

CA0375 Tall Oil Pitch

Safety Data Sheet



Incompatible materials : Oxidizers.
Hazardous decomposition products : Carbon dioxide and carbon monoxide

SECTION 11: Toxicological information

11.1 Information on the likely routes of exposure

Inhalation exposure : From mist or spray.
Skin exposure : From mist or spray. From splashing.
Ingestion exposure : Not a likely route of exposure.
Eye contact : From mist or spray. From splashing.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Labored breathing and irritation of the lungs may occur.
Skin contact : Mild skin irritation may occur.
Ingestion : Mild irritation of the mouth, tongue, esophagus and stomach may occur.
Eye contact : Mild eye irritation may occur.

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure

Inhalation : Chronic effects are not known.
Skin contact : Chronic effects are not known.
Ingestion : Chronic effects are not known.
Eye contact : Chronic effects are not known.

11.4 Numerical measures of toxicity

Oral LD50 : Rat >2000 mg/kg, 14 days; OECD 402
Skin LD50 : Rat >2000 mg/kg, 14 days; OECD 423
Ingestion LD50 : No data available.
Inhalation LD50 : No data available.
Skin primary irritation : Guinea Pig; Not a skin sensitizer; OECD 406
Eye primary irritation : Rabbit; No eye irritation; OECD 405

11.5 Carcinogenicity

National Toxicology Program : Not listed.
International Agency for Research on Cancer : Not listed.
OSHA : Not listed.
NIOSH : Not listed.

CA0375 Tall Oil Pitch

Safety Data Sheet



11.6 Other toxicological information

Reproductive toxicity : Not classified.
Germ cell mutagenicity : Not classified.
Respiratory or skin sensitization : No data available.
Specific target organ toxicity, single exposure : No data available.
Specific target organ toxicity, repeated exposure : No data available.
Aspiration hazard : No data available.

SECTION 12: Ecological information

12.1.1 Ecotoxicity aquatic

Fish LL50 : >100 mg/l 96 hour Danio
Daphnia EL50 : >100 mg/l 48 hour daphnia magna.
Algae EL50 : >100 mg/l 72 hour scenedesmus subspicatus.

12.1.2 Ecotoxicity terrestrial

Ecotoxicity terrestrial : No data available.

12.2 Persistence and degradability

Water : No data available.
Soil : No data available.
Air : No data available.

12.3 Bio-accumulative potential

Log Kow : No data available

12.4 Mobility in soil

Surface tension : No data available
Soil mobility : No data available

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment : No data available.

12.6 Other adverse effects

Air : Not dangerous to the ozone layer.

CA0375 Tall Oil Pitch

Safety Data Sheet



Water : Mild pollutant to surface of water.
: Bio-accumulative.

SECTION 13: Disposal considerations

13.1 Description of waste residues

Storage tank residues : Liquid residue from tank cleaning.
Empty package residues : Liquid residue remaining in emptied package container.
Transport trailer residues : Liquid residue from transport trailer cleaning.
Absorbent material : Solid absorbent containing mixture from a spill.

13.2 Safe handling of waste residues

Storage tank residues : Refer to section 7 for safe handling.
Empty package residues : Refer to section 7 for safe handling.
Transport trailer residues : Refer to section 7 for safe handling.
Absorbent material : Refer to section 7 for safe handling.

13.3 Methods of disposal

Storage tank residues : Dispose via an approved incineration facility.
: Dispose via an approved land fill facility.
Empty package residues : Dispose only in accordance with local, state and federal regulations.
: Remove package to an approved package cleaning and recycling facility.
Transport trailer residues : Dispose only in accordance with local, state and federal regulations.
: Clean transport trailer at an approved cleaning facility.
: Disposal of cleaning residues must be in accordance with local, state and federal regulations.
Absorbent material : Dispose via an approved incineration facility.
: Dispose via an approved land fill facility.
: Dispose only in accordance with local, state and federal regulations.

13.4 Hazardous waste classification (RCRA)

Classification	Regulation	Listed	Hazardous waste number
Ignitability	40CFR261.21	No	
Corrosivity	40CFR261.22	No	
Reactivity	40CFR261.23	No	
Toxicity	40CFR261.24	No	

SECTION 14: Transport information

14.1 UN number

CA0375 Tall Oil Pitch Safety Data Sheet



UN number : 3257

14.2 UN proper shipping name

Proper shipping name : Elevated Temperature Liquid, N.O.S.

14.3 Transport hazard class

Hazard class : 9

Hazard label



Hazard pictogram : None.

14.4 Packing group

Packing group : III

14.5 Environmental hazards

Marine pollutant : Not listed, per 49CFR172.101 Appendix B.

14.6 Transport in bulk

US DOT : Not regulated in non-bulk containers. Regulated in bulk containers when shipped at temperatures exceeding 100°C

IMDG : Not regulated in non-bulk containers. Regulated in bulk containers when shipped at temperatures exceeding 100°C

IATA : Not regulated in non-bulk containers. Regulated in bulk containers when shipped at temperatures exceeding 100°C

14.7 Special precautions for user

Special precautions : No additional information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the substance or mixture

15.1.1 US regulations

SARA 302 (40CFR355) : Not listed.

SARA 311/312 (40CFR370.66) : Not listed.

SARA 313 (40CFR372.65) : Not listed.

CERCLA (40CFR302.4) : Not listed.

California proposition 65 : Not listed.

CA0375 Tall Oil Pitch Safety Data Sheet



German WGK class : Not listed.

15.1.2 Chemical inventories

TSCA USA : Listed.
AICS Australia : Not listed.
DSL Canada : Not listed.
EC Europe : Not listed.
ECL Korea : Not listed.
IECSC China : Not listed.
ENCS Japan : Not listed.
NzloC New Zealand : Not listed.
PICCS Philippines : Not listed.
SWISS Switzerland : Unknown.

15.2 Chemical safety assessment

Safety assessment : No additional information available.

SECTION 16: Other information

16.1 Hazard ratings

	Health	Flammability	Physical hazards	Instability
HMIS (USA)	1	1	0	
NFPA (USA)	1	1		0

16.2 Safety Data Sheet information

Revision date (MM/DD/YY) : 02/09/2016
Supersede date (MM/DD/YY) : 11/06/2014

16.3 Notice to reader

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which Chemical Associates – A Division of Univar USA Inc. bears responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.