

CA3003 Methyl Tallowate

Safety Data Sheet



SECTION 1: Identification of the substance or mixture and the company or undertaking

1.1 Product identifier

Product type : Substance
Trade name : CA3003 Methyl Tallowate
Label name : CA3003 Methyl Tallowate
Chemical name : Methyl esters
CAS number : 61788-61-2
EC number : 262-989-7

1.2 Recommended and restricted uses of the substance or mixture

Recommended uses : Industrial, lubricants, surfactants, personal care, plastic additives, pharmaceutical additives, food additives.
Restricted uses : None known.

1.3 Company identification

Company name : Chemical Associates – A Division of Univar USA Inc.
Company address : 1270 South Cleveland Massillon Road
: Copley, OH 44321-1683
Company telephone : 330-666-5200

1.4 Emergency telephone number

Company emergency telephone : 800-347-2891
CHEMTREC telephone : 800-424-9300

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (29CFR1910.1200 Appendix A) : None.
GHS physical hazard : None.
GHS health hazard : None.
GHS environmental hazard : None.

2.2 Label warnings of the substance or mixture

Signal word : None.
Hazard statements : None.

CA3003 Methyl Tallowate

Safety Data Sheet



Precautionary statements : None.
Hazard symbol (pictogram) : None.

2.3 Hazards not otherwise classified

Other hazards : No additional information available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common name	Percent	CAS number	Health hazard
Methyl 9-octadecenoate	Methyl oleate	42	112-62-9	None
Hexadecanoic acid, methyl ester	Methyl palmitate	28	112-39-0	None
Methyl octadecanoate	Methyl stearate	24	112-61-8	None
Methyl 9, 12-octadecadienoate	Methyl linoleate	3	112-63-0	None
Methyl tetradecanoate	Methyl myristate	3	124-10-7	None

3.2 Mixtures

Chemical name	Common name	Typical %	CAS number	Health hazard
Not applicable.				

SECTION 4: First-aid measures

4.1 Description of first-aid measures

Exposure route	First-aid measure
Inhalation	: Remove the victim into fresh air. Observe victim's breathing. If breathing is labored seek immediate medical attention.
Skin contact	: Wash with soap and water. If irritation develops, seek medical attention. Launder contaminated clothing.
Eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses if present and easy to do. If irritation occurs, seek immediate medical (ophthalmologist) attention.
Ingestion	: Rinse mouth with plenty of water. For ingestion of large quantities seek immediate medical attention. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms after inhalation	: May experience dizziness and headache. : Mild irritation of the nose and throat may occur.
Symptoms after skin contact	: Mild irritation of the skin may occur.

CA3003 Methyl Tallowate

Safety Data Sheet



Symptoms after eye contact : Mild irritation of the eye tissue may occur.
Symptoms after ingestion : Mild tingling of the tongue and mouth may occur.
: May cause mild nausea.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment after inhalation : If breathing is labored seek immediate medical attention.
Treatment after skin contact : If skin irritation occurs seek immediate medical attention.
Treatment after eye contact : If eye irritation occurs seek immediate ophthalmologist attention.
Treatment after ingestion : If ingestion of a large quantity seek immediate medical attention.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media : Carbon dioxide, alcohol resistant foam and water spray.
Unsuitable media : None known.

5.2 Specific hazards arising from the substance or mixture

Direct fire hazard : Not flammable.
Indirect fire hazard : Exposure to temperature above the flash point (179°C).
Explosive hazard : Exposure to temperature above the flash point (179°C).
Reactivity : Reactivity with strong oxidizers.
Combustion products : Carbon dioxide and carbon monoxide.

5.3 Special protective equipment and precautions for fire-fighters

Protective equipment : Full protective clothing.
: Self contained breathing apparatus.
Precautions : Material will burn, but not ignite readily.
: Contact may cause irritation to eyes.
: Fire may produce irritating and/or toxic gases.
: Runoff from fire control may cause pollution.
Emergency response guide : Not a hazardous material.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : If substance is a mist stay upwind.
Protective equipment : Wear rubber gloves, rubber boots, face shield and chemical hazard suit. If material is a mist vapor wear dust mask or self contained breathing apparatus.
Emergency procedures : Mark the spill area with hazard tape or cones. Contain the spill area with suitable absorbent. Keep away from streams, rivers and lakes. If

CA3003 Methyl Tallowate

Safety Data Sheet



substance is a mist, alert immediate neighborhood to close windows and doors. Contain and dissipate mist via spraying with water.

6.2 Environmental precautions

Precautions : Keep out of streams, rivers and lakes. Substance is regulated as oil under the Clean Water Act. Abide by all laws per this regulation.

6.3 Methods and materials for containment and cleanup

Methods : Use chemical absorbent pigs or manually spread chemical absorbent onto spill area. After the substance is absorbed, dispose in approved waste facility.
Materials : Approved materials include dry earth, sand, clay, chemical absorbent, vermiculite and carbon.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling temperature : About 10 - 20°C above the melt point (10 - 12°C).
Handling equipment : Rubber hoses, aluminum, carbon steel or stainless steel (grade 304) lines. Stainless steel (grade 304) for pumps.

7.2 Conditions for safe storage, including any incompatibilities

Storage area : Store in dry area. Store at room temperature. Store in dyke area to contain any spills. Protect from heat.
Packaging materials : Polyethylene, aluminum, carbon steel, stainless steel (grade 304), rubber lined or epoxy lined tanks or drums. Graphite or rubber gaskets.
Incompatibilities : Oxidizers.

SECTION 8: Exposure controls/personal protection

8.1 Exposure controls

OSHA PEL : None.
ACGIH TLV : None.
NIOSH REL : None.

8.2 Appropriate engineering controls

Engineering controls : If mist exists, install ventilation equipped with carbon canisters. Ventilation should be 10 air exchanges per hour. Local exhaust ventilation is recommended.

CA3003 Methyl Tallowate

Safety Data Sheet



8.3 Personal protection equipment

Personal protective equipment : Rubber gloves and safety glasses. Dust mask if mist exists.

Personal protective equipment pictograms :



SECTION 9: Physical and chemical properties

9.1 Physical and chemical properties

Appearance : Clear yellow liquid.
Odor : Musty
Odor threshold : No data available.
pH : No data available. Substance is not readily soluble in water.
Melting point : 7°C.
Boiling point : >260°C at 76 mm Hg.
Flash point : 166°C, Open Cup.
Evaporation rate : No data available.
Flammability : Not flammable.
Lower flammability limit : No data available.
Upper flammability limit : No data available.
Vapor pressure : 10 mm Hg at 205°C (approximate)
Vapor density : No data available.
Density : 0.87 at 25°C.
Solubility : Completely soluble in ethanol and acetone.
: Insoluble in water.
Partition coefficient for n-octanol/water : No data available.
Auto-ignition temperature : No data available.
Decomposition temperature : No data available.
Viscosity : No data available.

9.2 Other information

Other information : No additional information available.

SECTION 10: Stability and reactivity

Reactivity : May react violently with oxidizers.
Chemical stability : Stable under normal storage conditions.
Possibility of hazardous reactions : Hazardous polymerization does not occur.

CA3003 Methyl Tallowate

Safety Data Sheet



Conditions to avoid : Pressure, shock, static discharge or vibration does NOT result in a hazardous condition.
Incompatible materials : Oxidizers.
Hazardous decomposition products : Carbon dioxide and carbon monoxide.

SECTION 11: Toxicological information

11.1 Information on the likely routes of exposure

Inhalation exposure : From mist or splashing.
Skin exposure : From mist or splashing.
Ingestion exposure : Not a likely route of exposure.
Eye contact : From mist or splashing.

11.2 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : Labored breathing and irritation of the lungs may occur.
Skin contact : Mild skin irritation may occur.
Ingestion : Mild irritation of the mouth, tongue, esophagus and stomach may occur.
Eye contact : Mild eye irritation may occur.

11.3 Delayed and immediate effects and also chronic effects from short and long term exposure

Inhalation : Chronic effects are not known.
Skin contact : Chronic effects are not known.
Ingestion : Chronic effects are not known.
Eye contact : Chronic effects are not known.

11.4 Numerical measures of toxicity

Oral LD50 : Rat > 5000 mg/kg.
Skin LD50 : No data available.
Ingestion LD50 : No data available.
Inhalation LD50 : No data available.
Skin primary irritation : Rabbit no irritation.
Eye primary irritation : Rabbit Draize no irritation.

11.5 Carcinogenicity

National Toxicology Program : Not listed.
International Agency for Research on Cancer : Not listed.
OSHA : Not listed.
NIOSH : Not listed.

CA3003 Methyl Tallowate

Safety Data Sheet



11.6 Other toxicological information

Reproductive toxicity : Not classified.
Germ cell mutagenicity : Negative in Ames test
Respiratory or skin sensitization : No data available.
Specific target organ toxicity, single exposure : No data available.
Specific target organ toxicity, repeated exposure : No data available.
Aspiration hazard : No data available.

SECTION 12: Ecological information

12.1.1 Ecotoxicity aquatic

Fish LC50 : >100 mg/l
Daphnia EC50 : No data available.
Rotifer EC50 : No data available.
Algae EC50 : No data available.

12.1.2 Ecotoxicity terrestrial

Ecotoxicity terrestrial : No data available.

12.2 Persistence and degradability

Water : No data available.
Soil : Readily biodegradable.
Air : No data available.

12.3 Bio-accumulative potential

Log Kow : No data available.

12.4 Mobility in soil

Surface tension : No data available.
Soil mobility : No data available.

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment : No data available.

12.6 Other adverse effects

CA3003 Methyl Tallowate

Safety Data Sheet



Air : Not dangerous to the ozone layer.
Water : Mild pollutant to surface of water.

SECTION 13: Disposal considerations

13.1 Description of waste residues

Storage tank residues : Liquid residue from tank cleaning.
Empty package residues : Liquid residue remaining in emptied package container.
Transport trailer residues : Liquid residue from transport trailer cleaning.
Absorbent material : Solid absorbent containing substance from a spill.

13.2 Safe handling of waste residues

Storage tank residues : Refer to section 7 for safe handling.
Empty package residues : Refer to section 7 for safe handling.
Transport trailer residues : Refer to section 7 for safe handling.
Absorbent material : Refer to section 7 for safe handling.

13.3 Methods of disposal

Storage tank residues : Dispose via an approved incineration facility.
: Dispose via an approved land fill facility.
Empty package residues : Dispose only in accordance with local, state and federal regulations.
: Remove package to an approved package cleaning and recycling facility.
Transport trailer residues : Dispose only in accordance with local, state and federal regulations.
: Clean transport trailer at an approved cleaning facility.
: Disposal of cleaning residues must be in accordance with local, state and federal regulations.
Absorbent material : Dispose via an approved incineration facility.
: Dispose via an approved land fill facility.
: Dispose only in accordance with local, state and federal regulations.

13.4 Hazardous waste classification (RCRA)

Classification	Regulation	Listed	Hazardous waste number
Ignitability	40CFR261.21	No	
Corrosivity	40CFR261.22	No	
Reactivity	40CFR261.23	No	
Toxicity	40CFR261.24	No	

SECTION 14: Transport information

14.1 UN number

CA3003 Methyl Tallowate

Safety Data Sheet



UN number : None.

14.2 UN proper shipping name

Proper shipping name : None.

14.3 Transport hazard class

Hazard class : None.

Hazard label : None.

Hazard pictogram : None.

14.4 Packing group

Packing group : None.

14.5 Environmental hazards

Marine pollutant : Not listed.

14.6 Transport in bulk

US DOT : Not regulated.

IMDG : Not regulated.

IATA : Not regulated.

MARPOL 73/78 : Fatty acid methyl esters (m)

: Pollution Category: Y

: Ship Type: 2

IBC code : Not regulated.

14.7 Special precautions for user

Special precautions : No additional information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the substance or mixture

15.1.1 US regulations

SARA 302 (40CFR355) : Not listed.

SARA 311/312 (40CFR370.66) : Not listed.

SARA 313 (40CFR372.65) : Not listed.

CERCLA (40CFR302.4) : Not listed.

CA3003 Methyl Tallowate

Safety Data Sheet



California proposition 65 : Not listed.
German WGK class : 1 (low hazard to waters).

15.1.2 Chemical inventories

TSCA USA : Listed.
AICS Australia : Listed.
DSL Canada : Listed.
EC Europe : Listed.
ECL Korea : Unknown.
IECSC China : Unknown.
ENCS Japan : Listed.
NzloC New Zealand : Listed.
PICCS Philippines : Listed.
SWISS Switzerland : Listed.

15.2 Chemical safety assessment

Safety assessment : None

SECTION 16: Other information

16.1 Hazard ratings

	Health	Flammability	Physical hazards	Instability
HMIS (USA)	0	1	0	
NFPA (USA)	0	1		0

16.2 Safety Data Sheet information

Revision date (MM/DD/YY) : 06/01/2015
Supersede date (MM/DD/YY) : 02/19/2015

16.3 Notice to reader

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however, nothing contained in this information is to be taken as a warranty or representation for which Chemical Associates – A Division of Univar USA Inc. bears responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.